पुणेमहानगरपरिवहनमहामंडळिलिमिटेड PUNE MAHANAGAR PARIVAHAN MAHAMANDALLIMITED पीएमटीबिल्डींग,स्वारगेट,पुणे - ४११०३७. PMT Building, Swargate, Pune 411 037

PMPML

Rel

Abstraction and the second of th

:२४४४०४१७ : 24440417

फॅक्स:: २४४४५४९० Fax : 24445490

CIN No-U60210PN2007PLC130461

Ref..No. PMPML/IT / 1614

Website - www.pmpml.org

E-mail: itdepartment@pmpml.org

Date:

1 JUL 2024

Request for Quotation

"Requirement of Firewall (Fortinet Fortigate 100E series) Software license renewal for PMPML"

Sir/Madam,

We kindly request you to submit your quotation for the "Requirement of Firewall (Fortinet Fortigate 100E series) Software license renewal for PMPML" as detailed below.

Quotation in sealed envelope may be submitted on or before to be submitted on or be submitted on or before to be submitted on or b

PUNE MAHANAGAR PARIVAHAN MAHAMANDAL LIMITED (PMPML)

Registered Address: Pune Mahanagar Parivahan Mahamandal Ltd.

IT Center, Shankarsheth Road, Swargate, Pune-411037.

Email: itdepartment@pmpml.org,

Telephone No: 9850636234

Website: www.pmpml.org

Concerned Authority: IT Department

Technical Proposal and Financial Quotation must be submitted in sealed envelope only.

It shall remain the bidder's responsibility to ensure that quotation will reach the address above on or before the deadline. Offers that are received by PMPML after the deadline indicated above, for whatever reason, shall not be considered for evaluation.

The PMPML reserves the right to cancel the quotation notice at any time without assigning any reason whatsoever.

Nitin Narvekar Joint Managing Director Pune Mahanagar Parivahan Mahamandal Ltd

Description of Requirement:

The firewall hardware currently available in PMPML is the following:

Hardware Specifications:

GE RJ45 Ports 14

GE RJ45 Management/HA/DMZ Ports 1/2/1

GE SFP Slots -

GE RJ45 PoE/+ Ports —

GE RJ45 WAN Ports 2

GE RJ45 or SFP Shared Ports 2

USB Port 1

Console Port 1

Internal Storage —

Included Transceivers 0



System Performance Enterprise Traffic Mix

IPS Throughput 2

500 Mbps

NGFW Throughput 2, 4

360 Mbps

Threat Protection Throughput 2, 5 250 Mbps

System Performance

Firewall Throughput (1518 / 512 / 64 byte UDP packets) 7.4 / 7.4 / 4.4 Gbps

Firewall Latency (64 byte UDP packets) 3 µs

Firewall Throughput (Packets Per Second) 6.6 Mpps

Concurrent Sessions (TCP) 2 Million

New Sessions/Second (TCP) 30,000

Firewall Policies 10,000 IPsec

VPN Throughput (512 byte) 1 4 Gbps

Gateway-to-Gateway IPsec VPN Tunnels 2,000

Client-to-Gateway IPsec VPN Tunnels 10,000

SSL-VPN Throughput 250 Mbps

Concurrent SSL-VPN Users (Recommended Maximum, Tunnel Mode) 300 SSL

Throughput (IPS, avg. HTTPS) 3 130 Mbps

SSL Inspection CPS (IPS, avg. HTTPS) 3 130

SSL Inspection Concurrent Session (IPS, avg. HTTPS) 3 125,000

Application Control Throughput (HTTP 64K) 2 1 Gbps

CAPWAP Throughput (1444 byte, UDP) 1.5 Gbps

Virtual Domains (Default / Maximum) 10 / 10

Maximum Number of Switches Supported 24

Maximum Number of FortiAPs (Total / Tunnel Mode) 64 / 32

Maximum Number of FortiTokens 1,000

Maximum Number of Registered FortiClients 600

High Availability Configurations Active / Active, Active / Passive, Clusterin

The current firewall in PMPML was installed in 2016 and takes care of NEC INDIA PVT Ltd. PMPML wants to renew the license of the existing firewall software for an additional period of three years along with necessary upgrades/patches in the software by the OEM from time to time for the entire duration. It would also require necessary maintenance support including but not limited to help desk, installation, troubleshooting etc amongst others for three years.

The procured firewall software is required in PMPML to take care of the following:

- A. Entire PMPML IT System:
- a. PMPML has more than 200 Computers spread across PMPML HQ
- B. PMPML has dedicated Internet Server hosting the following:
- PMPML website (www.pmpml.org);
- 2. Dedicated ITMS Application;
- 3. Any other application which may be hosted by PMPML
- B. In Future When hardware shifting to another location then configuration Support must be Provided.
- C. PMPML required ISP Line Termination & Configuration Support
- D. Telephonic Technical Support Should be Provide whenever PMPML required till the Next renewal

E.PMPML currently utilizes the Firewall 200E, which needs to be relocated and reconfigured to a different location. Support for this transition must be provided. Additionally, following the renewal of the 100E, this firewall should also be configured for deployment at another site.

Note: Financial Quotation shall be exclusive of applicable Goods and Service Tax (GST)

Software Specifications:

| Soπware Specifications. Bundle | Enterprises Protection |
|--|---|
| Forticare | 24*7 Protection |
| FortiGuard App Control Service | and American state of the series |
| FortiGuard IPS Service | |
| FortiGuard Advanced Malware Protection | ✓ |
| (AMP) | Carty A. P. C. C. C. B. MCHI I I C. C. TERRICO. MONTH CO. C. |
| FortiGuard Web and Video Filtering Service | ✓ ELECTIVE VALUE AS A LINE |
| FortiGuard Antisperm Service | ✓ 1125 S. 13a. |
| FortiGuard Security Rating Service | |
| FortiGuard IoT Detection Service | |
| FortiGuard Industrial Service | ✓ |
| FortiConverter Service | 1 |